

Art. 133/1

Portella rettangolare
apertura esterna

*Porte rectangulaire
ouverture extérieure*

*Puerta rectangular
abertura exterior*

*Rectangular lid
outward opening*

Passaggio utile
Passage utile
Luz util de pasaje
Access

600 x 800 m/m



ART. REF.	INOX AISI	H m/m	S1 m/m	S2 m/m	P.MAX BAR
133/1-4	304L	100	10	3	1,5
133/1-6	316L	100	10	3	1,5

H = Altezza telaio in m/m S1 = Spessore telaio in m/m S2 = Spessore coperchio in m/m
 = Hauteur cadre en m/m = Epaisseur cadre en m/m = Epaisseur portillon en m/m
 = Altura marco en m/m = Espesor marco en m/m = Espesor portón en m/m
 = Loom height in m/m = Loom thickness in m/m = Cover thickness in m/m

Art. 134/1

Portella rettangolare
apertura a ghigliottina


*Porte rectangulaire
ouverture à guillotine*

*Puerta rectangular
abertura a guillotina*

*Rectangular lid
guillotine opening*

Passaggio utile
Passage utile
Luz util de pasaje
Access

600 x 800 m/m



ART. REF.	INOX AISI	H m/m	S1 m/m	S2 m/m	P.MAX BAR
134/1-4	304L	100	10	3	1,2
134/1-6	316L	100	10	3	1,2

H = Altezza telaio in m/m
= Hauteur cadre en m/m
= Altura marco en m/m
= Loom height in m/m

S1 = Spessore telaio in m/m
= Epaisseur cadre en m/m
= Espesor marco en m/m
= Loom thickness in m/m

S2 = Spessore coperchio in m/m
= Epaisseur portillon en m/m
= Espesor portón en m/m
= Cover thickness in m/m

Art. 135/1

Portella rettangolare
apertura a ghigliottina


*Porte rectangulaire
ouverture à guillotine*

*Puerta rectangular
abertura a guillotina*

*Rectangular lid
guillotine opening*

Passaggio utile
Passage utile
Luz util de pasaje
Access

800 x 1000 m/m




ART. REF.	INOX AISI	H m/m	S1 m/m	S2 m/m	P.MAX BAR
135/1-4	304L	100	10	3	1,2
135/1-6	316L	100	10	3	1,2

H = Altezza telaio in m/m
= Hauteur cadre en m/m
= Altura marco en m/m
= Loom height in m/m

S1 = Spessore telaio in m/m
= Epaisseur cadre en m/m
= Espesor marco en m/m
= Loom thickness in m/m

S2 = Spessore coperchio in m/m
= Epaisseur portillon en m/m
= Espesor portón en m/m
= Cover thickness in m/m




Art. 90/1M - 100/1M

Chiusino circolare


Trappe supérieure

Boca circular

Round lid



ART. REF.	INOX AISI	H m/m	S1 m/m	S2 m/m	L.U. Pass.	N°
90/1m-4	304L	100	3	2	890	10
90/1m-6	316L	100	3	2	890	10
90/1m/a-4	304L	200	3	2	890	10
90/1m/a-6	316L	200	3	2	890	10
90/1m/b-4	304L	300	3	2	890	10
90/1m/b-6	316L	300	3	2	890	10
90/1m/c-4	304L	400	3	2	890	10
90/1m/c-6	316L	400	3	2	890	10
100/1m-4	304L	100	3	2	1040	10
100/1m-6	316L	100	3	2	1040	10
100/1m/a-4	304L	200	3	2	1040	10
100/1m/a-6	316L	200	3	2	1040	10
100/1m/b-4	304L	300	3	2	1040	10
100/1m/b-6	316L	300	3	2	1040	10
100/1m/c-4	304L	400	3	2	1040	10
100/1m/c-6	316L	400	3	2	1040	10



H = Altezza telaio in m/m = Hauteur cadre en m/m = Altura marco en m/m = Loom height in m/m
 S1 = Spessore telaio in m/m = Epaisseur cadre en m/m = Espesor marco en m/m = Loom thickness in m/m
 S2 = Spessore coperchio in m/m = Epaisseur portillon en m/m = Espesor portón en m/m = Cover thickness in m/m

